

Steyr-Puch Pinzgauer



Pinzgauer 710 M



Pinzgauer 712 M

M = Mannschaftsfahrzeug und Materialtransporter, K = Kommandofahrzeug mit Kastenaufbau

Militärische Bezeichnung	Gelastw L 1 t 4×4	Gelastw L 1,5 t 6×6
Leergewicht	1950 kg	2400 kg
Nutzlast	1000 kg	1100 kg
Gesamtgewicht	2950 kg	3500 kg
Länge	4200 mm	4955 mm
Breite	1760 mm	
Höhe	2180 mm	
Radstand	2200 mm	2000 + 980 mm
Sitzplätze	2 + 10	2 + 12
Motor	Typ Pinzgauer	
	4 Zylinder in Reihe, luftgekühlt, vorne längs	
Hubraum	2499 ccm	
Leistung	90 PS (66 kW) (DIN)	
Kraftübertragung	Einscheiben-Trockenkupplung	
Getriebe	5-Gang, Geländegang, Vorderradantrieb zuschaltbar	
Fahrgestell	Zentraltragrohr-Rahmen mit Pendelachsen	
Bremsen	Hydraulische Innenbackenbremse	
Elektrische Anlage	24 Volt	
Treibstofftank	75 Liter	
Verbrauch	20 Liter	25 Liter Benzin/100 km
Beschaffung	1971	1973

SMALL AMBULANCE TRANSPORTER

TYP		MS – SPECIFICATION	
PINZGAUER 712M A		AMBULANCE BOX	
USED BEST CONDITION		SMALL TRANSPORT TRUCK	
READY TO GO		OFF – ROAD CAPACITY	
ENGINE TYP	STEYR-DAIMLER-PUCH	CLIMBING POWER	100% (45°)
SPECS.	90 hp / 4 row / 2.5 L / Air cooled	WITH SELECTABLE DIFFERENTIAL LOCKS	Front / Rear
CYLINDERS	4	SWING AXLES	Front / Rear
FUEL	Gasoline	SMALLS TURNING RADIUS	12,4 mtr
CAPACITY	90 hp	PERSONAL SEATS	3 + 8
GEARBOX	ZF Manual Transmission	PERSONAL SEATS IN AMBULANCE USE	3 + 1 and 4 couch
NUMBER OF GEARS	5 forward - 1 reverse		
TRANSFER REDUCTION	Mechanic manipulation		
DIFF. LOCK	Hydraulic manipulation		
ALL WHEEL DRIVE	Hydraulic manipulation		
DRIVE	4 x 4		
BATTERY	24 VOLT / 2 x 12 Volt	TOTAL LENGTH	4890 mm
FUEL TANK	75 Liters	TOTAL WIDTH	1790 mm
PERFORMANCE	~100 km/h	TOTAL HEIGHT	2800 mm
HEATHER	Gasoline 2 each	EMPTY WEIGHT	2'850 Kg
		GROSS VEHICLE WEIGHT	3'500 Kg
		PAYLOAD	650 Kg

**Steyr-Puch Pinzgauer 712 T
Transporter mit
abnehmbarem Shelter
4 liegende Verwundete
+ 1 sitzend oder
2 liegende + 4 sitzende
Verwundete**

